

Literature References – Eppendorf LoBind®

This literature reference list contains a selection of publications, where Eppendorf LoBind products were used in various laboratory applications and protocols.

Mass spectrometry

Jelle Van Leene, Dominique Eeckhout, Bernard Cannoot, Nancy De Winne, Geert Persiau, Eveline Van De Slijke, Leen Vercruysse, Maarten Dedecker, Aurine Verkest, Klaas Vandepoel, Lennart Martens, Erwin Witters, Kris Gevaert, Geert De Jaeger
An improved toolbox to unravel the plant cellular machinery by tandem affinity purification of Arabidopsis protein complexes.
Nat Protocols. 2015; 10(1):169-87

Nerea González, Ibon Iloro, Javier Soria, Juan A. Duran, Alaitz Santamaría, Felix Elortza, Tatiana Suárez
Human tear peptide/protein profiling study of ocular surface diseases by SPE-MALDI-TOF mass spectrometry analyses.
EU PA Open Proteomics; 2014, 3; 206–215

Hongchang Qu, Daniel Ricklin, Hongjun Bai, Hui Chen, Edimara S. Reis, Mateusz Maciejewski, Apostolia Tzekou, Robert A. DeAngelis, Ranillo R.G. Resuello, Florea Lupu, Paul N. Barlow, John D. Lambris
New analogs of the clinical complement inhibitor compstatin with subnanomolar affinity and enhanced pharmacokinetic properties
Immunobiology 218; 2013, 496– 505

Kelly Hodge, Sara Ten Have, Luke Hutton and Angus I. Lamond
Cleaning up the masses: Exclusion lists to reduce contamination with HPLC-MS/MS.
Proteomics. 2013; 88(100): 92–103.

Jintang He; Yashu Liu; Jing Wu; David M. Lubman
Analysis of glycoproteins for biomarker discovery
Methods in Molecular Biology. 2013; 1002: 115-122

Graziano Colombo, Isabella Dalle-Donne, Marica Orioli, Daniela Giustarini, Ranieri Rossi, Marco Clerici, Luca Regazzoni, Giancarlo Aldini, Aldo Milzani, D. Allan Butterfield, Nicoletta Gagliano
Oxidative damage in human gingival fibroblasts exposed to cigarette smoke
Free Radical Biology & Medicine 52. 2012; 1584–1596

Luk C, Compta Y, Magdalinou N, Martí MJ, Hondhamuni G, Zetterberg H, Blennow K, Constantinescu R, Pijnenburg Y, Mollenhauer B, Trenkwalder C, Van Swieten J, Chiu WZ, Borroni B, Cámara A, Cheshire P, Williams DR, Lees AJ, de Silva R.
Development and assessment of sensitive immuno-PCR assays for the quantification of cerebrospinal fluid three- and four-repeat tau isoforms in tauopathies.
J Neurochem. 2012; 123(3): 396-405.

Nikos Tsolakos, Kristian Lie, Karin Bolstad, Sarah Maslen, Paul A. Kristiansen, E. Arne Høiby, Amanda Wallington, Caroline Vipon, Mark Skehel, Christoph M. Tang, Ian M. Feavers, Elisabeth Wedege, Jun X. Wheeler
Characterization of meningococcal serogroup B outer membrane vesicle vaccines from strain 44/76 after growth in different media
Vaccine; 2010; 28, 3211–3218

Kathiresan T, Harvey MC, Sokolowski BH
The use of 2-D gels to identify novel protein-protein interactions in the cochlea.
Methods Mol Biol 2009; 493: 269-286

Umar A, Luder TM, Foekens JA, Pasa-Tolic L
NanoLC-FT-ICR MS improves proteome coverage attainable for ~3000 laser-microdissected breast carcinoma cells
Proteomics 2007, Volume 7; 2:323-329

Mustafa DAN, Burgers PC, Dekker LJ, Charif H, Titulaer MK, Sillevius Smitt PAE, Luiders TM, Kros JM
Identification of Glioma Neovascularizationrelated Proteins by Using MALDI-FTMS and Nano-LC Fractionation to Microdissected Tumor Vessels
Molecular & Cellular Proteomics 2007; 6:1147–1157

Chen W-Q, Kang S-U, Lubec G
Protein profiling by the combination of two independent mass spectrometry techniques
Nature Protocols 2006; 1:1446-1452

Umar A, Dalebout JCH, Timmermans AM, Foekens JA, Luiders TM
Method optimisation for peptide profiling of microdissected breast carcinoma tissue by matrix-assisted laser desorption/ionisation-time of flight and matrix-assisted laser desorption/ionisation-time of flight/time of flight-mass spectrometry
Proteomics 2005, Volume 5; 10:2690-2688

Kim BG, Kim HJ, Park HJ, Kim YJ, Yoon WJ, Lee SJ, Ryoo HM, Cho JY.
Runx2 phosphorylation induced by fibroblast growth factor-2/protein kinase C pathways
Proteomics 2006, Volume 6; 4:1166-1174

HPLC

Jelle Van Leene, Dominique Eeckhout, Bernard Cannoot, Nancy De Winne, Geert Persiau, Eveline Van De Slijke, Leen Vercruyse, Maarten Dedeker, Aurine Verkest, Klaas Vandepoele, Lennart Martens, Erwin Witters, Kris Gevaert, Geert De Jaeger
An improved toolbox to unravel the plant cellular machinery by tandem affinity purification of Arabidopsis protein complexes.
Nat Protocols 2015, Jan 18; 10(1):169-87

Kelly Hodge, Sara Ten Have, Luke Hutton and Angus I. Lamond
Cleaning up the masses: Exclusion lists to reduce contamination with HPLC-MS/MS
Proteomics. 2013; 88(100): 92–103.

Jintang He; Yashu Liu; Jing Wu; David M. Lubman
Analysis of glycoproteins for biomarker discovery.
Methods in Molecular Biology. 2013; 1002:115-122

Judith Zoepfel, Wencke Reiher, Karl-Heinz Rexer, Jörg Kahnt, Christian Wegener
Peptidomics of the agriculturally damaging larval stage of the cabbage root fly *Delia radicum* (Diptera: Anthomyiidae).
PLoS One. 2012 25; 7

Yang M, Velaga S, Yamamoto H, Takeuchi H, Kawashima Y, Hovgaard L, van de Weert, M, Frokjaer S
Characterisation of salmon calcitonin in spray-dried powder for inhalation: Effect of chitosan
International Journal of Pharmaceutics. 2007, 331; 2:176-181

Hartmut Stocker, Charlotte Kloft, Nele Plock, Antje Breske, Guido Kruse, Christian Herzmann, Hubert Schulbin, Peter Kreckel, Christoph Weber, Frank Goebel, Joerg Roeling, Schlomo Staszewski, Andreas Plettenberg, Christiane Moecklinghoff, Keikawus Arastéh, Michael Kurowski
Pharmacokinetics of enfuvirtide in patients treated in typical routine clinical settings.
Antimicrob Agents Chemother. 2006 Feb; 50(2):667-73

Purification and analysis of proteins

Kathiresan T, Harvey MC, Sokolowski BH.

The use of 2-D gels to identify novel protein-protein interactions in the cochlea.

Methods Mol Biol 2009; 493: 269-286

Turcotte RF, Raines RT

Interaction of onconase with the human ribonuclease inhibitor protein

Biochemical and Biophysical Research Communications 2008; Volume 377; 2:512-514

Finger SN, Bryn TM

Multiple DNA-binding sites in Tetrahymena telomerase

Nucleic Acids Research; 2008; Volume 36, 4:1260-1272

Umar A, Luider TM, Foekens JA, Pasa-Tolic L

NanoLC-FT-ICR MS improves proteome coverage attainable for ~3000 laser-microdissected breast carcinoma cells

Proteomics 2007, Volume 7; 2:323-329

Mustafa DAN, Burgers PC, Dekker LJ, Charif H, Titulaer MK, Sillevius Smitt PAE, Luiders TM, Kros JM

Identification of Glioma Neovascularization-related Proteins by Using MALDI-FTMS and Nano-LC Fractionation to Microdissected Tumor Vessels

Molecular & Cellular Proteomics 2007; 6:1147-1157

Yang M, Velaga S, Yamamoto H, Takeuchi H, Kawashima Y, Hovgaard L, van de Weert, M, Frokjaer S

Characterisation of salmon calcitonin in spray-dried powder for inhalation: Effect of chitosan

International Journal of Pharmaceutics 2007, Volume 331; 2:176-181

Chen W-Q, Kang S-U, Lubec G

Protein profiling by the combination of two independent mass spectrometry techniques

Nature Protocols 2006; 1:1446-1452

Umar A, Dalebout JCH, Timmermans AM, Foekens JA, Luider TM

Method optimisation for peptide profiling of microdissected breast carcinoma tissue by matrix-assisted laser desorption/ionisation-time of flight and matrix-assisted laser desorption/ionisation-time of flight/time of flight-mass spectrometry

Proteomics 2005, Volume 5; 10:2690-2688

Kim BG, Kim HJ, Park HJ, Kim YJ, Yoon WJ, Lee SJ, Ryoo HM, Cho JY.

Runx2 phosphorylation induced by fibroblast growth factor-2/protein kinase C pathways

Proteomics 2006, Volume 6; 4:1166-1174

Comparison of tubes

Trilisky EI, Lenhoff AM

Sorption processes in ion-exchange chromatography of viruses

Journal of Chromatography A; 2007, 1142:2-12

Kersten M, Halder T

Tube Shows Minimal Affinity For Peptides And Proteins

Bioscience Technology September 2004

Bark SJ, Hook V

Differential Recovery of Peptides from Sample Tubes and the Reproducibility of Quantitative Proteomic Data

Journal of Chromatography A; 2007, 1142:2-12

J. Proteome Res.; 2007; Volume 6, 11:4511–4516

Grou CP, Carvalho AF, Pinto MP, Wiese S, Piechura H, Meyer HE, Warscheid B, Sá-Miranda C, Azevedo JE

Members of the E2D (UbcH5) Family Mediate the Ubiquitination of the Conserved Cysteine of Pex5p, the Peroxisomal Import Receptor

J. Biol. Chem.; 2008; 283: 14190-14197

Segers K, Sperandio O, Sack M, Fischer R, Miteva MA, Rosing J, Nicolaes GAF, Villoutreix BO

Design of protein–membrane interaction inhibitors by virtual ligand screening, proof of concept with the C2 domain of factor V

PNAS; 2007; Volume 104; 31: 12697-12702

Hess D, Keusch JJ, Lesnik Oberstein SA, Hennekam RCM, Hofsteenge J

Peters Plus Syndrome Is a New Congenital Disorder of Glycosylation and Involves Defective O-Glycosylation of Thrombospondin Type 1 Repeats

The Journal of Biological Chemistry; 2008; Volume 283; 12: 7354-7360

Kronauer DJC, Boomsma JJ

Do army ant queens re-mate later in life?

Insect Soc.; 2007; 54:20-28

Stocker H, Kloft C, Plock N, Breske A, Kruse G, Herzmann C, Schulbin H, Kreckel P, Weber C, Goebel F, Roeling J, Staszewski S, Plettenberg A, Moecklinghoff C, Arastéh K, Kurowski M.

Pharmacokinetics of enfuvirtide in patients treated in typical routine clinical settings.

Antimicrob Agents Chemother; 2006; Volume 50, 2:667-73

Moulakakis C, Stamme C

Role of clathrin-mediated endocytosis of surfactant protein A by alveolar macrophages in intracellular signaling

Am J Physiol Lung Cell Mol Physiol; 2009; 296:L430 - L441

General purification & assays

Turcotte RF, Raines RT

Interaction of onconase with the human ribonuclease inhibitor protein
Biochemical and Biophysical Research Communications. 2008; Volume 377; 2:512-514

Finger SN, Bryn TM

Multiple DNA-binding sites in Tetrahymena telomerase
Nucleic Acids Research; 2008; Volume 36, 4:1260–1272

Grou CP, Carvalho AF, Pinto MP, Wiese S, Piechura H, Meyer HE, Warscheid B, Sá-Miranda C, Azevedo JE
Members of the E2D (Ubch5) Family Mediate the Ubiquitination of the Conserved Cysteine of Pex5p, the Peroxisomal Import Receptor

J. Biol. Chem.; 2008; 283: 14190-14197

Segers K, Sperandio O, Sack M, Fischer R, Miteva MA, Rosing J, Nicolaes GAF, Villoutreix BO

Design of protein–membrane interaction inhibitors by virtual ligand screening, proof of concept with the C2 domain of factor V

PNAS; 2007; Volume 104; 31: 12697-12702

Hess D, Keusch JJ, Lesnik Oberstein SA, Hennekam RCM, Hofsteenge J

Peters Plus Syndrome Is a New Congenital Disorder of Glycosylation and Involves Defective O-Glycosylation of Thrombospondin Type 1 Repeats

The Journal of Biological Chemistry; 2008; Volume 283; 12: 7354-7360

Kronauer DJC, Boomsma JJ

Do army ant queens re-mate later in life?

Insect Soc.; 2007; 54:20-28

Stocker H, Kloft C, Plock N, Breske A, Kruse G, Herzmann C, Schulbin H, Kreckel P, Weber C, Goebel F, Roeling J, Staszewski S, Plettenberg A, Moecklinghoff C, Arastéh K, Kurowski M.

Pharmacokinetics of enfuvirtide in patients treated in typical routine clinical settings.

Antimicrob Agents Chemother; 2006; Volume 50, 2:667-73

Moulakakis C, Stamme C

Role of clathrin-mediated endocytosis of surfactant protein A by alveolar macrophages in intracellular signaling

Am J Physiol Lung Cell Mol Physiol; 2009; 296: L430 - L441

Xiyan Li

Affinity Purification of Yeast Protein-interacting Metabolites for ESI-MS Analysis

BioProtocol; 2011; Vol 1, Iss 8

Your local distributor: www.eppendorf.com/contact

Eppendorf AG · 22331 Hamburg · Germany

eppendorf@eppendorf.com · www.eppendorf.com

www.eppendorf.com

Eppendorf®, the Eppendorf logo and Eppendorf LoBind® are registered trademarks of Eppendorf AG, Germany.

U.S. Design Patents are listed on www.eppendorf.com/ip. All rights reserved, including graphics and images. Copyright © 2015 by Eppendorf AG.